

# Key Goat Grower 16% Pellet R

9303243

## MEDICATED

For the prevention of coccidiosis caused by *Eimeria crandallis*, *E. christenseni*, and *E. ninakohlyakimovae*.

ACTIVE DRUG INGREDIENT  
Monensin Sodium ..... 30 g/ton

Complete Feed for Goats

## GUARANTEED ANALYSIS

Crude Protein (Min) 16.00 %

\* (This Includes not more than 0.8 % equivalent non-protein nitrogen.)

Crude Fat	(Min)		3.70 %
Crude Fiber	(Max)		10.00 %
Calcium (Ca)	(Min)	0.79	(Max) 1.19 %
Phosphorus (P)	(Min)		0.48 %
Salt (NaCl)	(Min)	0.28	(Max) 0.68 %

## INGREDIENTS

Processed Grain By-Products, Grain Products, Roughage Products, Plant Protein Products, Forage Products, Calcium Carbonate, Molasses Products, Salt, Ammonium Chloride, Maxi Bond, Potassium Magnesium Sulfate, Dicalcium Phosphate, Propionic acid, Magnesium Oxide, Sodium Selenite, Mineral Oil, Manganous Hydroxychloride, Zinc Hyroxchloride, Vitamin E Supplement, Basic Copper Chloride, Vitamin A Acetate, Vit D3 Supplement, Cobalt Carbonate, Ethylenediamine Dihydroiodide, Natural Flavors., Zinc Sulfate, Manganous Oxide, Ferrous Sulfate, Vitamin D3 Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, d-Calcium Pantothenate, Niacin Supplement, Yeast Culture, Yeast Extract, Hydrolyzed Yeast.

## FEEDING DIRECTIONS

Feed Key Goat Grower 16% Pellet R with good quality forages and/or roughages to meet the nutritional requirements of growing sheep and goats. Free choice salt may be provided. Supply plenty of fresh clean water at all times. For a more specific feeding program, please contact your Keystone Mills Feed Consultant. CAUTION: Do not feed supplemental selenium in excess of 0.3 ppm in the total nutritional diet.

CAUTION: USE AS DIRECTED

THIS FEED SHOULD BE USED ONLY IN ACCORDANCE WITH THE RECOMMENDATIONS ON THIS FEED TAG

CAUTION: Do not allow horses or other equines access to feeds containing Monensin. Ingestion of Monensin by equines has been fatal. Feeding undiluted or mixing errors resulting in high concentrations of Monensin has been fatal in cattle and could be fatal in goats. Monensin medicated feed is safe for use in goats only. Consumption by unapproved species may result in toxic reactions. LIMITATIONS: Feed continuously. Do not feed to lactating goats. Must be thoroughly mixed in feeds before use. Do not feed undiluted. Do not exceed the level of Monensin recommended in the feeding direction, as reduced average daily gains may result.

MANUFACTURED BY:



**KEYSTONE MILLS**

www.KeystoneMills.com

Romulus, NY 14541

(315) 549-8226

NET WT. 50 lbs (22.68 kg)

Lot#:01-0000223709-23

rev: 09/28/17